

**BITES Ltd. / Contract Policy Cell / Gurgaon**

**General Conditions of Contract for Works, July 2019**

**Correction Slip No. 2**

*Clause 10A of BITES GCC for works, inter-alia, stipulates that the Contract shall comply with special conditions relating to procurement, testing and storage of cement and steel as given in Annexure B2. The first para of the existing special condition relating to **cement** as provided in Annexure B2, may be deleted and replaced with the following:-*


The contractor shall procure 43 grade (conforming to IS 8112 latest version) ordinary Portland cement or 53 grade OPC (conforming to IS 12269, latest version, for RCC work of mix richer than M30) from reputed manufacturers of cement having a valid Certification Marks Licence from Bureau of Indian Standards (BIS). At the time of bid submission, the tenderers may submit a list of names of cement manufacturer's alongwith a copy of their valid Certification Marks Licence from BIS, which they propose to use in the work. The Tender Accepting Authority reserves the right to accept or reject name(s) of cement manufacturer(s) which the tenderer proposes to use in the work if satisfactory evidence in respect of cement manufacturers' license issued by BIS, is not furnished. No change in the tendered rates will be accepted if the Tender Accepting Authority does not accept the list of cement manufacturers, given by the tenderer, fully or partially. In case the names of brand/cement manufacturers are not submitted at the time of bid submission, the brand/cement manufacturer meeting the criterion mentioned above, shall be got approved from the Engineer-in-Charge before use of cement of such brand/manufacturer on the work.

---

No. BITES/CO/CPC/GCC 2019/CS-02

Dt: 20.02.2020

The above correction to GCC for Works, July 2019, is issued with approval of the competent authority.

  
(Alok Garg) 20/02/2020,  
ED(HW & P) and Head  
Contract Policy Cell

**All Divisional Heads and SBU heads**

Copy to:-

1. Secy to CMD/DP/DF/DT. The above correction slip may be inserted in the copy of GCC for Works (July 2019), for information of CMD and Directors.
2. CVO
3. GM (IT): For uploading on BITES website (Tender/BITES GCC).